•	Application No.	Applicant(s)	
N. C. CAU L. W.C.	09/713,498	ZHAO, CHAOYING	
Notice of Allowability	Examiner	Art Unit	
	JOHN PAK	1616	
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	olication. If not include will be mailed in due	ed course. THIS
1. This communication is responsive to Applicant's reply of 5/4/2005.			
2. The allowed claim(s) is/are 20-21, 25, 27-28, 30, 40-45 [renumbered as 1-12].			
3. The drawings filed on are accepted by the Examiner.			
4. ☑ Acknowledgment is made of a claim for foreign priority una) ☑ All b) ☐ Some* c) ☐ None of the: 1. ☑ Certified copies of the priority documents have	been received.		
2. Certified copies of the priority documents have been received in Application No3. Copies of the certified copies of the priority documents have been received in this national stage application from the			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF			
INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) hereto or 2) to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t			a back) of
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application (PT	O-152)
Notice of Preferences Globa (175 GGZ) Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☑ Interview Summary	• • • • • • • • • • • • • • • • • • • •	,
3. Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date	Paper No./Mail Dai 08), 7. ⊠ Examiner's Amendr		
4. Examiner's Comment Regarding Requirement for Deposit	8. Examiner's Statement	ent of Reasons for Alle	owance
of Biological Material	9. Other		
JOHN PAK PRIMARY EXAMINER GROUP 1000			

Application/Control Number: 09/713,498

Art Unit: 1616

This Office action is in response to applicant's reply of 5/4/2005.

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interviews with Mr. Mayback on 7/19/2005 (see the attached Interview Summary) and 7/21/2005.

CLAIM 44, line 13: delete "2.7%" and insert --- 5.4% --- .

SPECIFICATION PAGE 1, immediately below the title and before the first line, insert the following continuation data -----

This application is a Continuation Application of PCT/CN99/00055, filed on April 16, 1999. -----

It is noted for the record that Form PTOL-37 from the previous Office action indicated that all certified copies of the priority documents have been received "in this national stage application from the International Bureau" See Box 12 (a)(3) of said form, the Office action of 4/1/2005. However, it turns out this was a mistake. Actually, this application is not a national stage application. Rather, this application is a Continuation application of the PCT application. Therefore, the priority document was

Application/Control Number: 09/713,498 Page 3

Art Unit: 1616

not supplied by the International Bureau. The Chinese foreign priority document has been obtained, and it is being made of record with this Office action.

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to JOHN PAK whose telephone number is **(571)272-0620**. The Examiner can normally be reached on Monday to Friday from 8 AM to 4:30 PM.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's SPE, Gary Kunz, can be reached on (571)272-0887.

The fax phone number for the organization where this application or proceeding is assigned is (571)273-8300.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (571)272-1600.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JOHN PAK PRIMARY EXAMINER GROUP 1800 Continuation of Substance of Interview including description of the general nature of what was discussed: The Examiner requested further information as to whether this is a continuation or a continuation-in-part of the PCT application. Mr. Mayback faxed the answer back: this application is a literal translation fo the PCT application, which means that this application is a continuation of the PCT application.